



ARMSCOR

ARMSCOR 1911 CS (Compact Size) PISTOL

USER'S MANUAL

Rocky Island Armory now introduces the new Model CS 1911-A1 pistol in Caliber.45 ACP. It is the compact version of the original full size Rocky Island Armory Government Model 1911-A1 and is considered as an optimum choice for concealable personal defense weapon.

The CS Pistol has an overall length of 7-1/8" or 1 1/2 " shorter than the full size Government Model and 1/2 " shorter than the medium size (MS) version. Its loaded weight is approximately 16 oz lighter than the full size model. The gun utilizes a 3 1/2" tapered bull barrel precluding the use of a barrel bushing. Use of a reverse plug and a full length recoil spring guide which acts as a stabilizer ensures functional reliability and dampen felt recoil while at the same time making the manual cycling operation of the slide easy and smooth. The magazine capacity is 6 rounds but can also accommodate the full size 7 or 8 round magazine.

The CS pistol utilizes the same features as with the parent full size model including the lowered and flared ejection port, extended ejector and beveled magazine well.

Disassembly of the CS pistol is done by first removing the slide stop and separating the slide- barrel- recoil spring assembly from the frame. The

recoil spring guide assembly is removed by lifting the recoil spring guide out of the slide. The reverse plug is then pulled out of the recoil spring tunnel. The barrel can now be withdrawn through the front of the slide. No further disassembly is recommended for routine cleaning and maintenance purposes.

PART NO.	DESCRIPTION
4501CS	Barrel
4503	Barrel Link
4504	Barrel Link Pin
4505CS	Slide
4506	Slide Stop (std)
4507	Slide Stop Plunger
4508	Plunger Spring
4509	Firing Pin
4510	Firing Pin Spring
4511	Firing Pin Stop
4512	Extractor
4513	Front Sight
4514 GI	Rear Sight
4515 CS	Recoil Spring
4516 CS	Recoil Spring Reverse Plug
4517 CS	Recoil Spring Guide
4518 CS	Frame
4518 PT	Plunger Tube
4519 CS	Magazine Box
4520 CS	Magazine Spring

4521S	Magazine Follower
4522 S	Magazine Follower Plate
4523 S	Magazine Base Pad
4524 S	Magazine Release
4525	Magazine Release Lock
4526	Magazine Release Spring
4527 CS	Grip Pane Right
4528 CS	Grip Pane Left
4549 S	Grip Screw
4529 GSB	Grip Screw Bushing
4530 GI	Trigger Shoe
4531 S	Trigger Stirrup
4532	Trigger Stirrup Pin
4533	Hammer
4534	Hammer Pin
4535	Hammer Strut
4536	Hammer Strut Pin
4537	Sear
4538	Sear Pin
4539	Sear Spring
4540	Disconnecter
4541	Safety Lock (Std.)
4542	Safety Lock Plunger
4543	Ejector
4544	Ejector Pin
4545	Grip Safety
4546 CS	Main Spring

4547CS	Main Spring Cap
4548	Main Spring Cap Pin
4549 CS	Main Spring Housing
4550	Main Spring Housing Pin
4551	Main Spring Housing Pin Ret'r

SPECIFICATIONS

Model	: CS 1911 –A1
Caliber	: 45 ACP
Action	: Semi-Auto, Recoil Operated
Magazine Capacity	: 6 Rounds
Effective Range	: 55 Yards
Overall Width	: 1 5/16 inches
Overall Length	: 7 1/8 inches
Overall Height	: 5 1/8 inches
Weight, Empty	: 2.16 Lbs.
Loaded	: 2.43 Lbs.
Trigger Pull	: 4.0 – 6.5 Lbs.
Barrel Length	: 3 ½ inches
Sights, Front	: Mounted on Slot, Fixed
Rear	: Mounted on Dovetail Cut
Rifling Twist	: Right Hand, One Turn in 16 inches
Grip	: Plain Wood
No. of Grooves	: 6 Grooves
Finish	: Parkerized

NOTE: Specifications subject to change without prior notice.

